

Hemovigilance Module Adverse Reaction Transfusion Associated Dyspnea

*Required for saving NHSN Adverse Reaction #: *Facility ID#: **Patient Information** ☐ M ☐ F ☐ Other *Date of Birth: ___/___/ *Patient ID: _____ *Gender: Secondary ID: _____ Social Security #: _____ Medicare #: _____ First Name: _____ Middle Name: ____ Last Name: Ethnicity Hispanic or Latino Not Hispanic or Not Latino American Indian/Alaska Native Race Asian Black or African American ☐ Native Hawaiian/Other Pacific Islander ☐ White ***Blood Group:** □ A- □ A+ □ B- □B+ □ AB-☐ AB+ □0-□ 0+ ☐ Blood type not done Transitional ABO / Rh + ☐ Transitional ABO / Rh -☐ Transitional ABO / Transitional Rh ☐ Group A/Transitional Rh ☐ Group B/Transitional Rh ☐ Group O/Transitional Rh Group AB/Transitional Rh **Patient Medical History** List the patient's admitting diagnosis. (Use ICD-10 Diagnostic codes/descriptions) Description: Description: Code: _____ Description: __ List the patient's underlying indication for transfusion. (Use ICD-10 Diagnostic codes/descriptions) Code: Code: Description: Code: Description: ☐ UNKNOWN List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions) NONE Code: _____ Description: Description: Code: Description: _____ Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74,

Atlanta, GA 30333 ATTN: PRA (0920-0666).



Transfusion Associated Dyspnea

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. (Use ICD-10 Procedure codes/descriptions)			
Code: Description:	_		
Code: Description:	_		
Code: Description:	_		
Additional Information			
Transfusion History			
Has the patient received a previous transfusion?			
Blood Product:	⁄te		
Date of Transfusion:/ UNKNOWN			
Was the patient's adverse reaction transfusion-related?			
If yes, provide information about the transfusion adverse reaction.			
Type of transfusion adverse reaction: Allergic AHTR DHTR DSTR FNHTR			
☐ HTR ☐ TTI ☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI ☐ UNKNOW	N		
OTHER Specify	-		
Reaction Details			
*Date reaction occurred:// *Time reaction occurred:: Time unknown			
*Facility location where patient was transfused:			
Is this reaction associated with an incident? Yes No If Yes, Incident #:			
Investigation Results			
* Transfusion associated dyspnea (TAD)			
*Case Definition			
Check all that apply:			
☐ Acute respiratory distress occurring within 24 hours of cessation of transfusion.			
Allergic reaction, TACO, and TRALI definitions are not applicable.			
Other signs and symptoms: (check all that apply)			
Generalized: Chills/rigors Fever Nausea/vomiting			
- 			
Cardiovascular: Blood pressure decrease Shock			
Cardiovascular: Blood pressure decrease Shock Cutaneous: Flushing Jaundice			
Cardiovascular:			
Cardiovascular: Blood pressure decrease Shock Cutaneous: Gleema Flushing Jaundice Urticaria (hives) Disseminated intravascular coagulation Hemoglobinemia			
Cardiovascular: Blood pressure decrease Cutaneous: Blood pressure decrease Shock Gutaneous: Flushing Pruritus (itching) Urticaria (hives) Hemolysis/Hemorrhage: Disseminated intravascular coagulation Positive antibody screen			
Cardiovascular: Blood pressure decrease Shock Cutaneous: Edema Flushing Jaundice Other rash Pruritus (itching) Urticaria (hives) Hemolysis/Hemorrhage: Disseminated intravascular coagulation Hemoglobinemia Positive antibody screen Pain: Abdominal pain Back pain Flank pain Infusion site pain	iin		
Cardiovascular: Blood pressure decrease Shock Cutaneous: Edema	iin		
Cardiovascular: Blood pressure decrease Shock Cutaneous: Edema	ain		
Cardiovascular: Blood pressure decrease Shock Cutaneous: Edema	ain		



☐ Other: (specify)			
*Severity			
Did the patient receive or experience any of the following?			
☐ No treatment required ☐ Symptomatic tre	eatment only		
☐ Hospitalization, inlcuding prolonged hospitalization	Life-threatening	g reaction	
☐ Disability and/or incapacitation ☐ Congenital anor	maly or birth defect(s) of the fetus	
☐ Other medically important conditions ☐ Death	Unknown or no	t stated	
*Imputability			
Which best describes the relationship between the transfusion and the	e reaction?		
Patient has no other conditions that could explain symptoms.			
☐ There are other potential causes that could explain symptoms, but transfusion is the most likely cause.			
Other present causes are most likely, but transfusion cannot be ruled out.			
Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.			
☐ There is conclusive evidence beyond reasonable doubt of a cau	se other than the tra	nsfusion.	
☐ The relationship between the adverse reaction and the transfusi	on is unknown or not	t stated.	
Did the transfusion occur at your facility? YES NO			
Module-generated Designations			
NOTE: Designations for case definition, severity, and imputability will be a	, ,	d in the NHSN	
application based on responses in the corresponding investigation results			
*Do you agree with the <u>case definition</u> designation? ^Please indicate your designation	∐ YES	□NO	
	□YES		
*Do you agree with the <u>severity</u> designation? ^Please indicate your designation	☐ TE3		
*Do you agree with the <i>imputability</i> designation?	☐ YES		
^Please indicate your designation			
Patient Treatment			
Did the patient receive treatment for the transfusion reaction?	YES □ NO	UNKNOWN	
If yes, select treatment(s):			
☐ Medication (Select the type of medication)			
☐ Antipyretics ☐ Antihistamines ☐ Inotropes/Vasopress	sors 🗌 Bronchodila	tor Diuretics	
☐ Intravenous Immunoglobulin ☐ Intravenous steroids	☐ Corticosteroids	☐ Antibiotics	
☐ Antithymocyte globulin ☐ Cyclosporin ☐ Other			
☐ Volume resuscitation (Intravenous colloids or crystalloids)			
Respiratory support (Select the type of support)			
☐ Mechanical ventilation ☐ Noninvasive ventilation ☐	Oxygen		
☐ Renal replacement therapy (Select the type of therapy)			
☐ Hemodialysis ☐ Peritoneal ☐ Continuous Veno-Ve	enous Hemofiltration		
Phlebotomy			



Other Specify: ___ **Outcome** ☐ Minor or no sequelae ☐ Not determined *Outcome: Death ☐ Major or long-term sequelae Date of Death: *If recipient died, relationship of transfusion to death: ☐ Possible ☐ Definite ☐ Probable ☐ Doubtful Ruled Out ■ Not determined Cause of death: ☐ Yes □No Was an autopsy performed? **Component Details** *Was a particular unit implicated in (i.e., responsible for) the adverse ☐ Yes ☐ No □ N/A reaction? **^**Unit number Transfusion Amount *Unit **Implic** (Required for Start and **End** *Component code transfused at expiration *Blood group ated Infection and Date/Time (check system used) reaction onset Date/Time of unit Unit? TRALI) **^IMPLICATED UNIT** ☐ ISBT-128 ☐ Entire unit □ A-□ A+ □ B-☐ Codabar Υ ☐ Partial unit __mL □B+ ☐ AB- ☐ AB+ □ O+ □ N/A ☐ ISBT-128 ☐ Entire unit □ A+ □ B-□ A-☐ Codabar Partial unit Ν mL □в+ ☐ AB- ☐ AB+ □ O+ □ N/A **Custom Fields** Label Label Comments