

Names for Transcription Factor KLF1 Alleles

General Description	<i>KLF1</i> encodes EKLF (erythroid Krüppel-like factor 1) which does not represent a blood group system. Variation in this gene is associated with In(Lu), a phenotype inherited in a dominant fashion. The In(Lu) phenotype is characterized by reduced expression of antigens of the Lutheran system and for P1, Inb, and AnWj antigens.
General Description (from GeneCards)	This gene encodes a hematopoietic-specific transcription factor that induces high-level expression of adult beta-globin and other erythroid genes. The zinc-finger protein binds to the DNA sequence CCACACCCCT found in the beta hemoglobin promoter. Heterozygous loss-of-function mutations in this gene result in the dominant In(Lu) blood phenotype.
Gene name:	<i>KLF1</i> , also known as <i>EKLF</i> , <i>EKLF/KLF1</i>
RefGene Name	LRG_825
Number of exons:	3
Initiation codon:	Within exon 1
Stop codon:	Within exon 3
Entrez Gene ID:	10661
LRG sequence (Genomic)	NG_013087.1
LRG sequence (Transcript)	NM_006563.3
Reference allele:	<i>KLF1*01</i>

Phenotype	Allele name	Nucleotide change	Exon Intron	Predicted amino acid change	(Reference No.) PMID	Accession number	rs number
Common	<i>KLF1*01</i>						
In(Lu)	<i>KLF1*BGM01</i>	c.-124T>C	Promoter	p.0	PMID: 18487511		not found
In(Lu)	<i>KLF1*BGM02</i>	c.380T>A	2	p.Leu127Ter	PMID: 18487511		not found
In(Lu)	<i>KLF1*BGM03</i>	c.569delC	2	p.Pro190Leufs*47	PMID: 18487511		not found
In(Lu)	<i>KLF1*BGM04</i>	c.874A>T	2	p.Lys292Ter	PMID: 18487511		rs137852687
In(Lu)	<i>KLF1*BGM05</i>	c.895C>T	2	p.His299Tyr	PMID: 18487511		rs137852688
In(Lu)	<i>KLF1*BGM06</i>	c.954dupG	3	p.Arg319Glufs*34	PMID: 18487511		rs397514445
In(Lu)	<i>KLF1*BGM07</i>	c.983G>T	3	p.Arg328Leu	PMID: 18487511		not found
In(Lu)	<i>KLF1*BGM08</i>	c.983G>A	3	p.Arg328His	PMID: 18487511		rs140252918
In(Lu)	<i>KLF1*BGM09</i>	c.991C>G	3	p.Arg331Gly	PMID: 18487511		not found
CO:-1,-2 IN:-1,-2	<i>KLF1*BGM10</i>	c.973G>A	3	p.Glu325Lys	PMID: 29047116		rs267607201
In(Lu)	<i>KLF1*BGM11</i>	c.90G>A	1	p.Trp30Ter	PMID: 29047116		rs1427628301
Obsolete Normal BG phenotype	<i>KLF1*BGM12</i>	c.304T>C	2	p.Ser102Pro	PMID: 29047116		rs2072597
In(Lu)	<i>KLF1*BGM13</i>	c.114delC	2	p.Asp38Glufs*53	PMID: 27043150		not found
In(Lu)	<i>KLF1*BGM14</i>	c.298G>T	2	p.Glu100Ter	PMID: 27043150		not found
In(Lu)	<i>KLF1*BGM15</i>	c.304T>C c.484_484insC	2	p.Ser103Pro p.Lys162Glnfs*352	PMID: 27043150		rs2072597 rs116107190
In(Lu)	<i>KLF1*BGM16</i>	c.304T>C c.1002delGT	2, 3	p.Ser103Pro p.Thr334Glyfs*351	PMID: 27043150		rs2072597 rs764608850
In(Lu)	<i>KLF1*BGM17</i>	c.621C>G	2	p.Tyr207Ter	PMID: 27043150		not found
In(Lu)	<i>KLF1*BGM18</i>	c.948delC	3	p.Cys316Trpfs*326	PMID: 27043150		not found
In(Lu)	<i>KLF1*BGM19</i>	c.1040C>A c.1045delT	3	p.Ala347Asp p.Ser349Argfs*358	PMID: 27043150		not found

In(Lu)	<i>KLF1*BGM20</i>	c.809C>A	2	p.Ser270X	PMID: 21273267 PMID: 21821711		rs558942739
In(Lu)	<i>KLF1*BGM21</i>	c.977T>G	3	p.Leu326Arg	PMID: 21821711 PMID: 23125034		rs397514634
In(Lu)	<i>KLF1*BGM22</i>	c.994A>G	3	p.Lys332Glu	PMID: 29193102		not found
In(Lu)	<i>KLF1*BGM23</i>	c.517_519delC	2	p.Pro173ProfsX64	PMID: 28194794		rs566095433
In(Lu)	<i>KLF1*BGM24</i>	c.551_556GGACCG>A	2	p.Gly184GlufsX167	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM25</i>	c.637C>T	2	p.Glu213X	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM26</i>	c.802C>T	2	p.Arg268X	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM27</i>	c.899T>C	2	p.Leu300Pro	PMID: 28194794		rs763096758
In(Lu)	<i>KLF1*BGM28</i>	c.902insT	2	p.Arg301LeufsX52	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM29</i>	c.947G>A	3	p.Cys316Tyr	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM30</i>	c.968C>G	3	p.Ser323Trp	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM31</i>	c.991C>T	3	p.Arg331Trp	PMID: 28194794 PMID: 24443441		not found
In(Lu)	<i>KLF1*BGM32</i>	c.310_311insG	2	p.Ala104GlyfsX249	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM33</i>	c.519_520insC	2	p.Gly174ArgfsX179	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM34</i>	c.519_525dupCGGCGC C	2	p.Gly176ArgfsX179	PMID: 23125034 PMID: 23844643 (1), Abstract		rs483352838
In(Lu)	<i>KLF1*BGM35</i>	c.591C>G	2	p.Tyr197X	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM36</i>	c.663delG	2	p.Leu222SerfsX15	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM37</i>	c.862A>G	2	p.Lys288Glu	PMID: 23125034		not found
In(Lu)	<i>KLF1*BGM38</i>	c.1071C>A	3	p.His357Gln	PMID: 23125034		VCV000040066.1
In(Lu)	<i>KLF1*BGM39</i>	c.109C>T	2	p.Gln37X	PMID: 28194794		rs755193431
In(Lu)	<i>KLF1*BGM40</i>	c.196G>T	2	p.Glu66X	PMID: 28194794		not found

In(Lu)	<i>KLF1*BGM41</i>	c.204delC	2	p.Gly68GlyfsX169	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM42</i>	c.796C>T	2	p.Arg266X	PMID: 28194794		rs756046932
In(Lu)	<i>KLF1*BGM43</i>	c.1022G>A	3	p.Cys341Tyr	PMID: 28194794		rs483352839
In(Lu)	<i>KLF1*BGM44</i>	c.151delC	2	p.Leu51SerfsX3	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM45</i>	c.826C>T	2	p.Gln276X	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM46</i>	c.868T>C	2	p.Tyr290His	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM47</i>	c.914-1g>c	i2	Splicing failure	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM48</i>	c.1001C>T	3	p.Thr334Met	PMID: 28194794		rs483352841
In(Lu)	<i>KLF1*BGM49</i>	c.1048C>T	3	p.Arg350Cys	PMID: 28194794		rs1321730417
In(Lu)	<i>KLF1*BGM50</i>	c.86A>G	1	p.Lys29Arg	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM51</i>	c.262_284dup	2	p.Ala95AlafsX150	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM52</i>	c.472delG	2	p.Ala158ProfsX79	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM53</i>	c.533C>A	2	p.Ser178X	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM54</i>	c.887T>C	2	p.Leu296Pro	PMID: 28194794		rs754996390
In(Lu)	<i>KLF1*BGM55</i>	c.939G>A	3	p.Trp313X	PMID: 28194794		rs1364414353
In(Lu)	<i>KLF1*BGM56</i>	c.964C>A	3	p.Arg322Ser	PMID: 28194794		rs376711350
In(Lu)	<i>KLF1*BGM57</i>	c.1004G>C	3	p.Gly335Ala	PMID: 28194794		not found
In(Lu)	<i>KLF1*BGM58 (proposed)</i>	c.892G>C	2	p.Ala298Pro	PMID: 21821711		rs387907598
In(Lu)	<i>KLF1*BGM59 (proposed)</i>	c.1012C>T	3	p.Pro338Ser	PMID: 29047116 PMID: 25585695		rs387907599
In(Lu)	<i>KLF1*BGM60 (proposed)</i>	c.318T>G	2	p.Tyr106X	PMID: 29047116		rs956697155
In(Lu)	<i>KLF1*BGM61 (proposed)</i>	c.911C>A	2	p.Thr304Lys	PMID: 29047116		not found

In(Lu)	<i>KLF1*BGM62</i> (proposed)	c.954G>C	3	p.Trp318Cys	PMID: 30222867		rs769526751
In(Lu)	<i>KLF1*BGM63</i> (proposed)	c.421C>T	2	p.Arg141X	PMID: 30222867		rs1426116895
In(Lu)	<i>KLF1*BGM64</i> (proposed)	c.199delA	2	p.Gly68AlafsTer236	PMID: 29193102		not found
In(Lu)	<i>KLF1*BGM65</i> (proposed)	c.604G>A	2	p.Gly202Arg	PMID: 29193102		rs756658473
In(Lu)	<i>KLF1*BGM66</i> (proposed)	c.858C>A	2	p.Cys286Ter	(2), Abstract		rs778506653
In(Lu)	<i>KLF1*BGM67</i> (proposed)	c.1001C>G	3	p.Thr334Arg	(3), Abstract		rs483352841
In(Lu)	<i>KLF1*BGM68</i> (proposed)	c.175insC	2	p.Pro59Profs*66	(3), Abstract		not found
In(Lu)	<i>KLF1*BGM69</i> (proposed)	c.304C,874G	2	p.Lys292Ter	(3), Abstract		not found
In(Lu)	<i>KLF1*BGM70</i> (proposed)	c.1003A	3	p.Gly335Arg	(3), Abstract		rs750987930
In(Lu)	<i>KLF1*BGM71</i> (proposed)	c.56_74del	1	p.Pro19Leufs*29	(3), Abstract		not found
In(Lu)	<i>KLF1*BGM72</i> (proposed)	c.304C,1017G	2, 3	p.Phe339Leu	(3), Abstract		not found
In(Lu)	<i>KLF1*BGM73</i> (proposed)	c.304C,1028C	2, 3	p.Leu343Pro	(3), Abstract		not found

References

- PMID 18487511 Singleton BK, Burton NM, Green C, Brady RL, Anstee DJ. Mutations in EKLF/KLF1 form the molecular basis of the rare blood group In(Lu) phenotype. *Blood* 2008;112:2081-8.
- PMID 29399809 Yeh CC, Chang CJ, Twu YC, Hung ST, Tsai YJ, Liao JC, et al. The differential expression of the blood group P(1)-A4GALT and P(2)-A4GALT alleles is stimulated by the transcription factor early growth response 1. *Transfusion*. 2018 Apr;58(4):1054-1064. doi: 10.1111/trf.14515. Epub 2018 Feb 4.
- PMID 29047116 Keller J, Vege S, Horn T, Keller MA, Leger RM, Aexchlimann J, Lomas-Francis C, CM Westhoff. Novel mutations in KLF1 encoding the In(Lu) phenotype reflect a diversity of clinical presentations. *Transfusion*. 2018 Jan;58(1):196-199.
- PMID 27043150 Garcia-Sanchez F, Pardi C, Kupatawintu P, Thornton N, Rodriguez MA, Lucea I, et al. Identification of new KLF1 and LU alleles during the resolution of Lutheran typing discrepancies. *Transfusion* 2016;56:1413-8.
- PMID 21273267 Satta S, Perseu L, Moi P, Asunis I, Cabriolu A, Maccioni L, et al. Compound heterozygosity for KLF1 mutations associated with remarkable increase of fetal hemoglobin and red cell protoporphyrin. *Haematologica* 2011;96:767-70.
- PMID 21821711 Perseu L, Satta S, Moi P, Demartis FR, Manunza L, Sollaino MC, et al. KLF1 gene mutations cause borderline HbA(2). *Blood* 2011;118:4454-8.
- PMID 23125034 Helias V, Saison C, Peyrard T, Vera E, Prehu C, Cartron JP, et al. Molecular analysis of the rare In(Lu) blood type: toward decoding the phenotypic outcome of haploinsufficiency for the transcription factor KLF1. *Hum Mutat* 2013;34:221-8.

- PMID 29193102 Chen S, Hong X, Xu X, He J, Zhu F. Two novel mutations in KLF1 were identified in Chinese individuals with In(Lu) phenotype. *Transfusion* 2018;58:271-2.
- PMID 28194794 Kawai M, Obara K, Onodera T, Enomoto T, Ogasawara K, Tsuneyama H, et al. Mutations of the KLF1 gene detected in Japanese with the In(Lu) phenotype. *Transfusion* 2017;57:1072-7.
- PMID 24443441 Viprakasit V, Ekwattanakit S, Rialueang S, Chalaow N, Fisher C, Lower K, et al. Mutations in Kruppel-like factor 1 cause transfusion-dependent hemolytic anemia and persistence of embryonic globin gene expression. *Blood* 2014;123:1586-95.
- PMID 23844643 Wang Z, Luo G, Ji Y. A novel 519_525dup mutation of KLF1 gene identified in a Chinese blood donor with Lu(a-b-) phenotype. *Transfusion* 2013;53:1619-20.
- Abstract (1) Yang M, Kuo Y, Hung Y, Hsieh C, Hung C, Lin K. An Insertion in EKLF/KLF1 Gene Causes in (Lu) Blood Group. *Transfusion* 2012;52 Supplement:161A-2A.
- PMID 25585695 Huang J, Zhang X, Liu D, Wei X, Shang X, Xiong F, et al. Compound heterozygosity for KLF1 mutations is associated with microcytic hypochromic anemia and increased fetal hemoglobin. *Eur J Hum Genet* 2015;23:1341-8.
- PMID 30222867 Fraser NS, Knauth CM, Schoeman EM, Moussa A, Perkins AC, Walsh T, et al. Investigation of the variable In(Lu) phenotype caused by KLF1 variants. *Transfusion* 2018.
- Abstract (2) Keller J, Horn T, Rowley J, Mansfield P and MA Keller. A Novel KLF1 Variant Encoding C.858C>a and Responsible for In(Lu) Phenotype. *Transfusion* 2019 59 (S3):124.

Abstract	(3)	C Vrignaud, S Ramelet, S LeCam, MC Calloix, MHennion, S Azouzi, and T Peyrard. Characterization of 7 Novel KLF1Alleles Responsible for a Rare In(Lu) Phenotype inFrench Blood Donors. Transfusion 2020 60(S5):14A.
PMID	3952792	Daniels GL, Shaw MA, Lomas CM, Leak MR and P Tippett. The effect of In(Lu) on some high-frequency antigens. Transfusion. 1986 Mar-Apr;26(2):171-2.

Track of changes		from version	to version
1 Version		v1.0 30-JUN-2021	
2	Author	created:	n.a. Margaret Keller
3	Review	reviewed:	n.a. unreviewed
4	General	n.a.	First Excel map version. Spread-sheets "Intro", "Allele Table", "References", and "Versioning" created.
5	End Version	v1.0 30-JUN-2021	