

Hemovigilance Module Adverse Reaction Allergic Transfusion Reaction

*Required for saving

*Facility ID#: NHSN Adverse Reaction #:							
Patient Information							
*Patient ID: *Gender:							
Social Security #: Secondary ID: Medicare #:							
Last Name: Middle Name: Middle Name:							
Ethnicity Hispanic or Latino Not Hispanic or Not Latino							
Race							
☐ Native Hawaiian/Other Pacific Islander ☐ White							
*Blood Group: ☐ A- ☐ A+ ☐ B- ☐ B+ ☐ AB- ☐ AB+ ☐ O- ☐ O+ ☐ Blood type not done							
☐ Transitional ABO / Rh + ☐ Transitional ABO / Rh - ☐ Transitional ABO / Transitional							
☐ Group A/Transitional Rh ☐ Group B/Transitional Rh ☐ Group O/Transitional Rh ☐ Group AB/Transitional R							
Patient Medical History							
List the patient's admitting diagnosis. (Use ICD-10 Diagnostic codes/descriptions)							
Code: Description:							
Code: Description:							
Code: Description:							
List the patient's underlying indication for transfusion. (Use ICD-10 Diagnostic codes/descriptions)							
Code: Description:							
Code: Description:							
Code: Description:							
List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions)							
Code: Description:							
Code: Description:							
Code: Description:							
Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)). Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing to collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-Atlanta, GA 30333 ATTN: PRA (0920-0666).							



	nedical procedure including past procedures and procedures to be UNKNOWN ant hospital or outpatient stay. (Use ICD-10 Procedure NONE
Code:	Description:
Code:	
Code:	
Additional Information	
Transfusion History	
Has the patient received a	previous transfusion?
Blood Product:] WB ☐ RBC ☐ Platelet ☐ Plasma ☐ Cryoprecipitate ☐ Granulocyte
Date of Transfusion:	//
Was the patient's advers	e reaction transfusion-related?
If yes, provide information	n about the transfusion adverse reaction.
Type of transfusion adve	rse reaction:
	☐ PTP ☐ TACO ☐ TAD ☐ TA-GVHD ☐ TRALI ☐ UNKNOWN
OTHER Spec	ify
Reaction Details	
*Date reaction occurred:	// *Time reaction occurred: : : Time unknown
*Facility location where pat	ient was transfused:
Is this reaction associated wit	h an incident?
Investigation Results	
* Allergic reaction, inclu	ding anaphylaxis
*Case Definition	
Check the following that o	ccurred during or within 4 hours of cessation of transfusion:
☐ Conjunctival edema	☐ Edema of lips, tongue and uvula ☐ Localized angioedema ☐ Hypotension
☐ Erythema and edema	of the periorbital area 🗌 Respiratory distress; bronchospasm 🔲 Urticaria
☐ Generalized flushing	☐ Maculopapular rash ☐ Pruritus
Other signs and symptoms:	(check all that apply)
Generalized:	☐ Chills/rigors ☐ Fever ☐ Nausea/vomiting
Cardiovascular:	Shock
Cutaneous:	☐ Jaundice
Hemolysis/Hemorrhage:	☐ Disseminated intravascular coagulation ☐ Hemoglobinemia ☐ Positive antibody screen
Pain:	☐ Abdominal pain ☐ Back pain ☐ Flank pain ☐ Infusion site pain
Renal:	☐ Hematuria ☐ Hemoglobinuria ☐ Oliguria
Respiratory:	☐ Bilateral infiltrates on chest x-ray ☐ Cough ☐ Hypoxemia ☐ Shortness of breath
Other: (specify)	



*Severity						
Did the patient receive or experience any of the fo	llowing?					
☐ No treatment required	☐ No treatment required ☐ Symptomatic treatment only					
Hospitalization, inlcuding prolonged hospit	alization	Life-threatening	g reaction			
☐ Disability and/or incapacitation	☐ Congenital anom	aly or birth defect(s) of the fetus			
Other medically important conditions	☐ Death	Unknown or no	ot stated			
*Imputability						
Which best describes the relationship between the	transfusion and the	reaction?				
 No other evidence of environmental, drug or dietary risks. ☐ There are other potential causes present that could explain acute hemolysis, but transfusion is the most likely cause. ☐ Other present causes are most likely, but transfusion cannot be ruled out. ☐ Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded. 						
There is conclusive evidence beyond reasorThe relationship between the adverse reaction						
Did the transfusion occur at your facility?	YES NO	TIS GIRNOWITOF HOL	. Stated.			
When did the reaction occur in relation to the trans Coccurred during or within 2 hours of cessation Occurred 2 - 4 hours after cessation of trans	on of transfusion.					
Did the same reaction occur after the transfusion w	as restarted (rechalle	nge)?	☐ YES ☐ NO			
Module-generated Designations						
NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.						
*Do you agree with the <u>case definition</u> designation	ation?	☐ YES	□NO			
*Do you agree with the <u>severity</u> designation? ^Please indicate your designation		☐ YES	□NO			
*Do you agree with the <u>imputability</u> designation	on?	☐ YES	□NO			
Patient Treatment						
Did the patient receive treatment for the transfusion If yes, select treatment(s): Medication (Select the type of medication) Antipyretics Antihistamines Intravenous Immunoglobulin Intra Antithymocyte globulin Cyclosp	Inotropes/Vasopressovenous steroids	YES NO Drs Bronchodila Corticosteroids	UNKNOWN ator Diuretics Antibiotics			
☐ Volume resuscitation (Intravenous colloids of						
☐ Respiratory support (Select the type of support ☐ Mechanical ventilation ☐ Noninva	oort) asive ventilation	☐ Oxygen				



Renal replacement therapy (Select the type of therapy) Hemodialysis Peritoneal Continuous Veno-Venous Hemofiltration									V/1111511
☐ Phlebotomy ☐ Other Specify:									
Outcome									
*Outcome: Death Major or long-term sequelae Minor or no sequelae Not determined Date of Death:// ^If recipient died, relationship of transfusion to death: Definite Probable Possible Doubtful Ruled Out Not determined Cause of death: Was an autopsy performed? Yes No									
Component	Details								
*Was a partic	cular unit implicate	d in (i.e., respo			dverse	☐ Yes	s 🗌	No [□ N/A
Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI) *Unit expiration Date/Time		*Blood group of unit			Implic ated Unit?	
^IMPLICATED	UNIT					_			
:	☐ ISBT-128 ☐ Codabar	☐ Entire unit ☐ Partial unit mL		 		□ A- □B+ □ O-	□ A+ □ AB- □ O+	□ B- □ AB+ □ N/A	Y
	☐ ISBT-128 ☐ Codabar —————————	☐ Entire unit ☐ Partial unit mL	— — — — — —		:	□ A- □B+ □ O-	□ A+ □ AB- □ O+	□ B- □ AB+ □ N/A	N
Custom Fields									
Label				Label					
		<u>//</u>	-				/	/	
Comments									